

980H REBUILD OPTIONS






POWERTRAIN

www.macorpcat.com

BUILT FOR IT.







PARTS/SERVICES PERFORMED

- · Coolant temperature regulator
- Crankshaft thrust plates
- Exhaust manifold studs/locknuts & exhaust sleeves
- Gaskets & seals
- Main bearings & rod bearings
- Recondition or replace oil pump
- Replace piston rings
- Turbocharger (mounting) studs/locknuts
- Liner seals
- · Engine oil filter and fuel filters
- Paint


INSPECT

- Camshaft
- Connecting rods
- Coolant system
 - Coolant hoses water pump visual
- Crankshaft
- · Cylinder block
- Engine mounts
- Exhaust & intake manifolds
- · Fan drive, pulleys, belts & belt tensioner
- Flywheel & ring gear
- Fuel transfer pump & fuel lines
- Fumes disposal & clamps
- · Cylinder liners

- Liner protrusion
- Piston spray jets
- Rocker arm assemblies
 - Intake & exhaust
 - Rocker arm shaft
 - Unit injector
- Starter and alternator visual
- Turbocharger, after cooler/hoses & clamps
- Valve springs, intake valves, seats & guides
- Vibration damper
- Wiring harnesses, switches & sensors
- · Cylinder head
- Fuel injector
- Water pump

980H C15 Engine Level 2 Recondition





INCLUDES

PARTS/SERVICES PERFORMED INCLUDES LEVEL 1 RECON PLUS:


- Accy drive bearing group
- Replace engine breather
- Replace serpentine belt, turbo coolant hoses, turbo oil hoses and fuel hoses integral to engine for filters/housing
- · Replace fuel injectors with Cat Reman
- Recondition or replace fuel transfer pump
- Recondition or replace water pump
- Recondition or replace turbo
- Dyno test engine
- · Camshaft bearings
- · Recondition or replace cylinder head

INSPECT

- Camshaft
- Connecting rods
- Crankshaft
- Cylinder block
- Engine mounts
- Exhaust & intake manifolds
- Fan drive, pulleys, belts & belt tensioner
- Flywheel & ring gear
- Front gear train/Rear gear train
- Fuel lines
- Coolant hoses
- · Cylinder liners

- Liner protrusion & condition
- Piston spray jets
- · Rocker arm assemblies
 - Intake & exhaust
 - Rocker arm shaft
 - Unit injector
- Starter and alternator
- Valve springs, seats, guides and intake valves
- Vibration damper
- Wiring harnesses, switches & sensors
- After cooler
- Starter and alternator visual






PARTS/SERVICES PERFORMED INCLUDES LEVEL 1 & 2 RECON PLUS:

- Integral engine harness
- Engine related sensors, switches and fuel prime pump
- Replace engine oil cooler with Reman
- Includes recondition or replacement of unknown hard parts found during disassembly that do not meet Cat reuse guidelines. Excludes major castings (engine block, crankshaft, front housing and rear housing)
- Recondition/replace fuel injection pump
- Rocker arm adjustment screws/nuts
- Piston spray jet bolts
- Engine mounts
- Sound suppression on block/front cover
- Piston spray jet
- Alternator
- Starter
- · Cylinder packs (piston, rod, liner)

INSPECT

- Camshaft
- Crankshaft
- · Exhaust & intake manifolds
- Fan drive, pulleys, belts & belt tensioner
- Flywheel & ring gear
- Front gear train/Rear gear train
- Fuel lines
- Power train cooler
- · Liner protrusion & condition
- Rocker arm assemblies
- Intake & exhaust manifolds
- Rocker arm shaft
- Vibration damper
- Cylinder block
- Coolant hoses
- After cooler






PARTS REPLACED	LEVEL 1	LEVEL 2	LEVEL 3
All bearings and races	X	Х	X
All seals including control valve	X	Х	Х
Paint component	X	Х	Х
Clutch friction discs		Х	Х
Modulation valves	X	Х	Х
Shim packs	х	Х	Х
Side thrust plates	х	Х	Х
Thrust plate retainers	х	Х	Х
Outlet relief spring	х	Х	Х
Clutch plates			Х
Magnetic tube			Х
Clutch and valve springs			Х
Suction screen			Х
Freewheel cam		Х	Х
Sensors/switches	х	Х	Х
Retaining ring			Х
Thrust disc/plates	Х	Х	Х
Test (transmission)	Х	Х	Х

INSPECT OR TEST

- Inspect for applicable updates
- Clutch friction disc and plates inspected compared to Cat reuse guidelines
- All internal components inspected compared to Cat reuse guidelines
- Visually inspect harness, hoses
- Dyno-test transmission to ensure clutch actuation pressures and valve modulation are within specification






Level 3 Recondition

PARTS REPLACED	LEVEL 1	LEVEL 2	LEVEL 3
All bearings and races		Х	Х
All seals and gaskets	Х	Х	Х
Shim pack		Х	Х
Paint component	Х	Х	Х
Brake discs and plates replaced that do not meet Cat reuse guidelines			Х
Locknut - pinion shaft		Х	Х
Drain & fill plugs			Х
Final drive sun gears			Х
Differential spider assembly			Х
Retaining rings			Х
Differential mounting bolts	Х	Х	Х
Final drive wheel hub retaining bolts	Х	Х	Х
Pinion retaining bolts	Х	Х	Х

INSPECT OR TEST

- Inspect for applicable updates
- Brake friction disc and plates inspected compared to Cat reuse guidelines
- · Perform visual check on
 - Spindles
 - Wheels
- Pressure test brakes
- Check for rotation and differential lock function if applicable
- Brake Disc, gears inspected and compared to Cat reuse guidelines





PARTS REPLACED	LEVEL 1	LEVEL 2	LEVEL 3
All bearings and races		Х	Х
All seals and gaskets	Х	Х	Х
Shim pack		х	х
Paint component	Х	Х	Х
Brake discs and plates replaced that do not meet Cat reuse guidelines			Х
Locknut - pinion shaft		Х	Х
Drain & fill plugs			Х
Final drive sun gears			Х
Differential spider assembly			Х
Retaining rings			Х
Pinion retaining bolts	Х	Х	Х
Differential mounting bolts	Х	Х	Х
Final drive wheel hub retaining bolts	Х	Х	Х

INSPECT OR TEST

- Inspect for applicable updates
- Brake friction disc and plates inspected compared to Cat reuse guidelines
- · Perform additional visual check on
 - Spindles
 - Wheels
- Pressure test brakes
- Check for rotation and differential lock function if applicable
- Brake disc, gears inspected and compared to Cat reuse guidelines

